

'Partner' Anti-static Latex Powder free Finger cots

LYNBOND



About

Natural Latex, powder-free, anti-static finger cots are suitable for handling PCB and components where traces of residue powder are not acceptable. Finger cots provide a great substitute for a glove where complete hand coverage is not essential and allows increased comfort for the wearer. Suitable for component and PCB handling where traces of residue powder are not acceptable. Manufactured, Chlorinated, packed and supplied in bags of 1440 rolled cots.

Key Attributes

- Chlorinated
- Powder-free
- 4 mil thickness
- Low levels of extractables
- Material: 100% Natural Latex
- Surface: Smooth Surface
- Shape: Rolled
- Colour: Pink
- Surface Resistance - $10^7 \sim 10^9$
- Organics: No silicon oil / DOP, Amides
- Available in Small, Medium, Large and XL

Application

- For use with class II/category B static sensitive devices with a threshold sensitivity above 1000V($\geq 1000V$).
- Electronic Assembly Manufacturing



Rev.2024A

'Partner' Anti-static Latex Powder free Finger cots

LYNBOND



PARAMETERS	PHYSICAL PROPERTIES	TEST RESULTS
MATERIAL	100% Natural Latex	
SURFACE	Smooth	
COLOUR	Pink	
SHAPE	Rolled	
LENGTH (mm)	70 ± 2	-
SMALL (mm)	24 ± 2	
MEDIUM (mm)	27 ± 2	
LARGE (mm)	30 ± 2	
XL (mm)	34.5 ± 2.5	
THICKNESS	4 Mil	
TENSILE STRENGTH	min 20 Mpa	
ELONGATION	min 750%	
SAMPLING		MIL STD-105E
PACKAGING	10 Gross / Bag (Supplied in anti-static bag)	
TRACEABILITY	LOT Numbered	
ORGANIC	No Silicone Oil, DOP, Amides	FTIR Spectroscopy
ESD (Ohms/sq)	10 ⁷ ~ 10 ⁹	
QUALITY SYSTEM	MANUFACTURED IN A FACILITY HOLDING	ISO 9001:2015 ISO 14001:2015
INSPECTION		In accordance with ISO 2859
SIZES	S, M, L, XL	
INDUSTRY USE	Industrial / Cleanroom	

NOTE: This product is not classified as PPE or Medical Device

Rev.2024A

'Partner' Anti-static Latex Powder free Finger cots

LYNBOND



ORDERING INFORMATION

PRODUCT CODE	FCP-PB-S	FCP-PB-M	FCP-PB-L	FCP-PB-XL
SIZE	SMALL	MEDIUM	LARGE	XL
QTY / BAG	1440 COTS / BAG	1440 COTS / BAG	1440 COTS / BAG	1440 COTS / BAG

INVENTORY MANAGEMENT

STORAGE INSTRUCTIONS	Store in cool dry place (below 28°C) away from direct sunlight and heat
SHELF LIFE	36 months from Date of Manufacture

INSTRATAT DETAILS

COUNTRY OF ORIGIN	MALAYSIA
H/S CODE	40151100



CAUTION:

This product contains Latex which can cause adverse allergic reaction to users.

It has been reported that 6% to 7% of Industrial Personnel are Latex sensitive.

Discontinue use if reddening or Irritation occurs.

User who are sensitive to Latex and / or Chemicals should consider other alternatives such as Nitrile material.

This product is not certified under the Personal Protective Equipment (PPE).

Rev.2024A