Non-sterile, accelerator-free nitrile cleanroom gloves, compatible with Class 100 (ISO 5) environments

- Assured cleanliness: Nitrilite[™] 93-311
 non-sterile gloves are specially designed
 for compatibility with Class 100 (ISO 5)
 cleanroom environments
- Reduced allergy risks: These cleanroom gloves are also free from latex proteins and chemical accelerators, reducing the susceptibility to Type I or Type IV allergic reactions
- Heightened tactility: Thanks to their optimally thick design, these siliconefree gloves ensure high levels of tactile sensitivity, making them ideal for precision handling



KEY FEATURES & BENEFITS

- Class 100 (ISO 5) cleanroom compatibility: Assured cleanliness
- Latex-free nitrile formulation: Type I latex allergy risks eliminated
- No chemical accelerators: Lower susceptibility to Type IV allergies and sensitivities

Industries

- Biotechnology Manufacturing
- Medical Device Manufacturing
- Electronics manufacturing

Recommended For

- Clean room cleaning and preparing
- Blending, compounding solids and liquids
- Spill or leakage cleanup
- Transferring liquids and solids
- Loading centrifuges and chromatography columns
- Assembly of parts
- Weighing and dispensing of solid and liquid raw materials







93-311

Non-sterile Disposable Nitrile Cleanroom Glove

TECHNICAL DATA SHEET

| | Product Information |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material | Nitrile |
| Color | White |
| Shape | Ambidextrous |
| Cuff | Beaded |
| Manufacturing/QMS Audit Standards | ISO 9001:2015 |
| Regulatory/Standard Compliance | Category III, EN ISO 21420:2020, EN ISO 374-1:2016+A1:2018, EN ISO 374-5:2016, FDA21 CFR 177-2600-US Food Contact Approved, ISO 14001, UKCA |
| Packaging | 50 gloves per inner bag; 2 inner bags per master polybag; 10 master polybags per (1000 gloves) per liner bag More sustainable packaging: These non-sterile gloves are packed in recyclable plastic packaging* and delivered in recycled cardboard shipper cases. *Pouch, bag and liner are made from polyethylene (PE) based film. Always check your local recyclable status as these materials may not be considered suitable for recycling in your location. |
| Storage | Keep away from direct sunlight; store in a dry place and keep in the original packaging. Keep away from ozone sources. If products are properly stored, as indicated, they won't lose their performances or change characteristics significantly. If products could be affected by ageing or storage, the expiry date is mentioned on the packaging materials. |
| Country of Origin | Malaysia |
| Available sizes | XS (5.5 - 6), S (6.5 - 7), M (7.5 - 8), L (8.5 - 9), XL (9.5 - 10), XXL (10.5 - 11) |
| External Glove Surface | Textured Fingers |
| Internal Glove Surface | Powder-Free, Chlorinated |
| Cleanroom Class | Class 100/ISO 5 |
| Shelf Life | 5 Years |
| Tested for use with Chemotherapy Drugs | Yes |
| Protein Level | N/A: contains no natural rubber latex |





93-311

Non-sterile Disposable Nitrile Cleanroom Glove

| Physical Properties | | | | | | Testing Method |
|----------------------------------------------------|-------------------------|-------------|-------------|-------------|----------------------------|----------------------------|
| Sizes | XS (5.5 - 6) | S (6.5 - 7) | M (7.5 - 8) | L (8.5 - 9) | XL (9.5 - 10) | |
| Typical Length (mm/in) | 300 / 12 | | | | | EN ISO 21420 ASTM D3767 |
| Palm Width (mm/in) | 82.5 / 3.3 | 90 / 3.5 | 99 / 3.9 | 105 / 4.1 | 115 / 4.5 | |
| | | | 0.5.4.01 | | | EN 455 4/4 OTM B 7577 |
| Freedom from Holes | 2.5 AQL | | | | | EN 455-1/ASTM D3577 |
| Typical Particle Count ≥0.5µm (counts / cm²) | < 2,400 particles / cm² | | | | IEST-RP-CC005.4 | |
| Target Single Wall Palm Thickness (mm/mil) | 0.11/ 4.3 | | | | EN ISO 21420/ASTM D3767 | |
| Target Single Wall Finger Thickness (mm/mil) | 0.17 / 6.7 | | | | EN ISO 21420/ASTM D3767 | |
| Target Single Wall Cuff Thickness (mm/mil) | 0.09/ 3.5 | | | | EN ISO 21420/ASTM D3767 | |

IONIC CONTENT

| Concentration in µg/cm² | Typical | Concentration in µg/cm² | Typical |
|-------------------------|---------|-------------------------|---------|
| Calcium | <0.500 | Potassium | <0.050 |
| Chloride | <0.285 | Sodium | <0.038 |
| Lithium | <0.0004 | Sulphate | <0.080 |
| Magnesium | <0.050 | Zinc | <0.300 |
| Nitrate | <0.165 | | |

ORDERING INFORMATION

| SIZE | XS (5.5 - 6) | S (6.5 - 7) | M (7.5 - 8) | L (8.5 - 9) | XL (9.5 - 10) |
|-------------|--------------|-------------|-------------|-------------|---------------|
| REORDER NO. | 93311060 | 93311070 | 93311080 | 93311090 | 93311100 |

PERFORMANCE STANDARDS AND REGULATORY COMPLIANCE







For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Asia Pacific Region

Ansell Global Trading Center T: +603 8310 6688 F: +603 8310 6699

North America Region

Ansell Healthcare Products LLC US T: +1800 800 0444 US F: +1800 800 0445 CA T: +1-800-363-8340

Latin America & Caribbean Region

 Latin America & Caribbean Region
 Ansell Nitritex

 Ansell Commercial Mexico S.A. de C.V.
 T: +44 1638 663338

 T: +52 442 248 1544 / 248 3133
 F: +44 1638 668890

Australia

Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578

UK

Ansell, $^{\textcircled{R}}$ and $^{\textcircled{M}}$ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking $^{\textcircled{M}}$ 2025 Ansell Limited. All Rights Reserved.

Ansell